

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/563,616	08/09/2006	George F. Vande Woude	28927.0018	1900
PRICE HENEVELD COOPER DEWITT & LITTON, LLP 695 KENMOOR, S.E.			EXAMINER	
			GODDARD, LAURA B	
P O BOX 2567 GRAND RAPIDS, MI 49501			ART UNIT	PAPER NUMBER
			1642	
			MAIL DATE	DELIVERY MODE
			10/04/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10563616	8/9/2006	VANDE WOUDE ET AL.	28927.0018

PRICE HENEVELD COOPER DEWITT & LITTON, LLP 695 KENMOOR, S.E. P O BOX 2567 GRAND RAPIDS, MI 49501

EXAMINER

LAURA B. GODDARD

ART UNIT PAPER

1642 3

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The amendment filed on July 21, 2010 withdrawing all claims drawn to the elected and exmamined invention and presenting only claims drawn to a non-elected invention is non-responsive (MPEP § 821.03). The presented claims are not readable on the elected invention because they are drawn to the distinct invention of non-elected Group II.

Applicants state in their remarks that there was a misunderstanding over the phone regarding the invention elected over the phone and that Applicants want to prosecute the claims of Group II, not Group I. Examiner disagrees that there was a misunderstanding and Applicants clearly elected Group I by phone, and the claims were examined accordingly. This is further evidenced by the fact Applicants elected species drawn to administration of specific agents and not to species of agents comprised in a composition. Applicants already received a first action on the merits for their elected invention and cannot change the invention or withdraw all examined claims after receiving an action on the merits for their elected invention. All of Applicants' arguments in the remarks are drawn to the non-elected invention and do not address the rejected and examined claims. Applicants' response is therefore non-responsive. Applicants have the right to pursue non-elected inventions in divisional applications.

Since the above-mentioned amendment appears to be a bona fide attempt to reply, applicant is given a TIME PERIOD of ONE (1) MONTH or THIRTY (30) DAYS, whichever is longer, from the mailing date of this notice within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD UNDER 37 CFR 1.136(a) ARE AVAILABLE.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Laura B. Goddard, whose telephone number is (571) 272-8788. The examiner can normally be reached on 7:00am-3:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Misook Yu can be reached on 571-272-0839. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free)

/Laura B Goddard/ Primary Examiner, Art Unit 1642

